

The Clinical Journal of Pain Volume 19, 2003

Author Index

- Abe, K. *see* Shibata, M.
 Alfredsson, B. *see* Nesheim, B.-I.
 Allgot, E. *see* Nesheim, B.-I.
 Aloisi, A. M.
 Gonadal Hormones and Sex Differences in Pain Reactivity, 168
 Alvarez, N. *see* Gammaitoni, A. R.
 Augustson, E. *see* Edwards, R.
- Backonja, M.-M.**
 Krause, S. J.: Neuropathic Pain Questionnaire—Short Form, 315
 Backonja, M.-M. *see* Krause, S. J.
 Basler, H.-D. *see* Zimmer, C.
 Baxter, D. *see* Kerr, D. P.
 Baysal, E. *see* Rudy, T. E.
 Benrud-Larson, L. *see* Haythornthwaite, J. A.
 Berg, B. *see* Nesheim, B.-I.
 Bergmark, S. *see* Gammaitoni, A. R.
 Boersma, K. *see* Linton, S. J.
 Boston, J. R. *see* Rudy, T. E.
 Bradbeer, M.
 Helme, R. D., Yong, H.-H., Kendig, H. L., Gibson, S. J.: Widowhood and Other Demographic Associations of Pain in Independent Older People, 247
 Breau, L. M.
 MacLaren, J., McGrath, P. J., Camfield, C. S., Finley, G. A.: Caregivers' Beliefs Regarding Pain in Children With Cognitive Impairment: Relation Between Pain Sensation and Reaction Increases With Severity of Impairment, 335
 Breen, A.
 Breen, R.: Back Pain and Satisfaction With Chiropractic Treatment: What Role Does the Physical Outcome Play?, 263
 Breen, R. *see* Breen, A.
 Bruce, J. *see* Poobalan, A. S.
- Camfield, C. S. *see* Breau, L. M.
 Cardenas, D. D. *see* Ehde, D. M.
 Cerda-Olmedo, G. *see* De Andrés, J.
 Chambers, C. T. *see* Finley, G. A.
 Chambers, W. A. *see* Poobalan, A. S.
 Charpentier, N. *see* Loisel, P.
 Chen, L.-K. *see* Hsu, H.-W.
 Cheng, L. *see* Haythornthwaite, J. A.
 Cheng, Y.-J. *see* Hsu, H.-W.
 Chong, M. S.
 Libretto, S. E.: The Rationale and Use of Topiramate for Treating Neuropathic Pain, 59
 Clark, A. J. *see* Lynch, M. E.
 Clark, M. *see* Haythornthwaite, J. A.
 Cleeland, C. S.
 Reyes-Gibby, C. C., Schall, M., Nolan, K., Paice, J., Rosenberg, J. M., Tollett, J. H., Kerns, R. D.: Rapid Improvement in Pain Management: The Veterans Health Administration and the Institute for Healthcare Improvement Collaborative, 298
 Cohen, S. P. *see* Stojanovic, M. P.
 Craft, R. M.
 Sex Differences in Opioid Analgesia: "From Mouse to Man", 175
- De Andrés, J.
 Cerda-Olmedo, G., Valía, J. C., Monsalve, V., Lopez-Alarcón, Minguez, A.: Use of Botulinum Toxin in the Treatment of Chronic Myofascial Pain, 269
 de Boer, J. *see* Peters, J. W. B.
 de Dios Luna, J. *see* Marchal, J. M.
 DeLateur, B. *see* Haythornthwaite, J. A.
 Delgado-Martinez, A. D. *see* Marchal, J. M.
 Devoulyte, K.
 Sullivan, M. J. L.: Pain Catastrophizing and Symptom Severity During Upper Respiratory Tract Illness, 125
 Diallo, B. *see* Loisel, P.
 Dillingham, T. *see* Haythornthwaite, J. A.
 Dionne, R. A.
 Witter, J.: NIH-FDA Analgesic Drug Development Workshop: Translating Scientific Advances into Improved Pain Relief, 139
 Doleys, D. M. *see* Fillingim, R. B.
 Dubey, P. K.
 Prasad, S. S.: Pain on Injection of Propofol: The Effect of Granisetron Pretreatment, 121
 Dubray, C. *see* Pickering, G.
 Duivenvoorden, H. J. *see* Peters, J. W. B.
 Durand, M.-J. *see* Loisel, P.
- Edwards, R.
 Augustson, E., Fillingim, R.: Differential Relationships Between Anxiety and Treatment-Associated Pain Reduction Among Male and Female Chronic Pain Patients, 208
 Edwards, R. R. *see* Fillingim, R. B.
 Ehde, D. M.
 Jensen, M. P., Engel, J. M., Turner, J. A., Hoffman, A. J., Cardenas, D. D.: Chronic Pain Secondary to Disability: A Review, 3
 Engel, J. M. *see* Ehde, D. M.
 Ersek, M.
 Turner, J. A., McCurry, S. M., Gibbons, L., Kraybill, B. M.: Efficacy of a Self-Management Group Intervention for Elderly Persons With Chronic Pain, 156
 Eschaliér, A. *see* Pickering, G.
- Fillingim, R. B.
 Doleys, D. M., Edwards, R. R., Lowery, D.: Spousal Responses Are Differentially Associated With Clinical Variables in Women and Men With Chronic Pain, 217
 Fillingim, R. *see* Edwards, R.
 Fine, P. *see* Gammaitoni, A. R.
 Finley, G. A.
 Chambers, C. T., McGrath, P. J., Walsh, T. M.: Construct Validity of the Parents' Postoperative Pain Measure, 329
 Finley, G. A. *see* Breau, L. M.
 Fisher, B. *see* Haythornthwaite, J. A.
 Forouzanfar, T.
 Weber, W. E. J., Kemler, M., van Kleef, M.: What Is a Meaningful Pain Reduction in Patients With Complex Regional Pain Syndrome Type 1?, 281
 Furlan, A. D. *see* Kapetanos, A. T.

- Gammaitoni, A. R.
 Fine, P., Alvarez, N., McPherson, M. L., Bergmark, S.: Clinical Application of Opioid Equianalgesic Data, 286
 Gatchel, R. J. *see* Pulliam, C.
 Gibbons, L. *see* Ersek, M.
 Gibson, S. J. *see* Bradbeer, M.
 Gourley, L. M. *see* Rudy, T. E.
 Grabow, T. S.
 Tella, P. K., Raja, S. N.: Spinal Cord Stimulation for Complex Regional Pain Syndrome: An Evidence-Based Medicine Review of the Literature, 371
 Grunau, R. E. *see* Peters, J. W. B.
- Haythornthwaite, J. A.
 Wegener, S.; Benrud-Larson, L.; Fisher, B.; Clark, M.; Dillingham, T.; Cheng, L.; DeLateur, B.: Factors Associated With Willingness to Try Different Pain Treatments for Pain After a Spinal Cord Injury, 31
 Helme, R. D. *see* Bradbeer, M.
 Heuts, P. H. T. G. *see* van den Hout, J. H. C.
 Hoffman, A. J. *see* Ehde, D. M.
 Hord, E. D. *see* Stojanovic, M. P.
 Hove, G. *see* Nesheim, B.-I.
 Hsu, H.-W.
 Cheng, Y.-J.; Chen, L.-K.; Wang, Y.-P.; Lin, C.-J.; Lee, C.-N.; Sun, W.-Z.: Differential Analgesic Effect of Tenoxicam on the Wound Pain and Uterine Cramping Pain After Cesarean Section, 55
- Januel, F. *see* Pickering, G.
 Jensen, M. P.
 Questionnaire Validation: A Brief Guide for Readers of the Research Literature, 345
 Jensen, M. P. *see* Ehde, D. M.
 Jensen, M. P.
 Introduction, 1
 Jimbo, A. *see* Shibata, M.
 Johnsen, W. *see* Nesheim, B.-I.
 Jorsett, I. *see* Nesheim, B.-I.
- Kapetanios, A. T.
 Furlan, A. D., Mailis-Gagnon, A.: Characteristics and Associated Features of Persistent Post-Sympathectomy Pain, 192
 Kemler, M. *see* Forouzanfar, T.
 Kendig, H. L. *see* Bradbeer, M.
 Kerns, R. D. *see* Cleeland, C. S.
 Kerr, D. P.
 Walsh, D. M., Baxter, D.: Acupuncture in the Management of Chronic Low Back Pain: A Blinded Randomized Controlled Trial, 364
 King, P. M. *see* Poobalan, A. S.
 Kinge, R. *see* Nesheim, B.-I.
 Koot, H. M. *see* Peters, J. W. B.
 Krause, S. J.
 Backonja, M.-M.: Development of a Neuropathic Pain Questionnaire, 306
 Krause, S. J. *see* Backonja, M.-M.
 Kraybill, B. M. *see* Ersek, M.
 Krukowski, Z. H. *see* Poobalan, A. S.
- Labelle, J. *see* Loisel, P.
 Lautenbacher, S. *see* Zimmer, C.
 Lee, C.-N. *see* Hsu, H.-W.
 Libretto, S. E. *see* Chong, M. S.
 Lieber, S. J. *see* Rudy, T. E.
- Lin, C.-J. *see* Hsu, H.-W.
 Linton, S. J.
 Boersma, K.: Early Identification of Patients at Risk of Developing a Persistent Back Problem: The Predictive Validity of The Örebro Musculoskeletal Pain Questionnaire, 80
 Liu, G. *see* Xie, H.
 Loeser, J. D.
 What's to be Done? Comments on Grabow et al, 384
 Loisel, P.
 Durand, M.-J., Diallo, B., Vachon, B., Charpentier, N., Labelle, J.: From Evidence to Community Practice in Work Rehabilitation: The Quebec Experience, 105
 Lopez-Alarcón. *see* De Andrés, J.
 Lowery, D. *see* Fillingim, R. B.
 Lynch, M. E.
 Clark, A. J., Sawynok, J.: A Pilot Study Examining Topical Amitriptyline, Ketamine, and a Combination of Both in the Treatment of Neuropathic Pain, 323
- MacLaren, J. *see* Breau, L. M.
 Mailis-Gagnon, A. *see* Kapetanios, A. T.
 Marchal, J. M.
 Delgado-Martinez, A. D., Poncela, M., Valenzuela, J., de Dios Luna, J.: Does the Type of Arthroscopic Surgery Modify the Analgesic Effect of Intraarticular Morphine and Bupivacaine? A Preliminary Study, 240
 Mashimo, T. *see* Shibata, M.
 McCleane, G. J.
 The Cholecystokinin Antagonist Proglumide Enhances the Analgesic Effect of Dihydrocodeine, 200
 McCurry, S. M. *see* Ersek, M.
 McGrath, P. J. *see* Breau, L. M.
 McGrath, P. J. *see* Finley, G. A.
 McPherson, M. L. *see* Gammaitoni, A. R.
 Mihara, M. *see* Shibata, M.
 Minguez, A. *see* De Andrés, J.
 Monsalve, V. *see* De Andrés, J.
 Myers, C. D.
 Riley, J. L., III, Robinson, M. E.: Psychosocial Contributions to Sex-Related Differences in Pain, 225
- Nesheim, B.-I.
 Kinge, R., Berg, B., Alfredsson, B., Allgot, E., Hove, G., Johnsen, W., Jorsett, I., Skei, S., Solberg, S.: Acupuncture During Labor Can Reduce the Use of Meperidine: A Controlled Clinical Study, 187
 Nolan, K. *see* Cleeland, C. S.
- Paice, J. *see* Cleeland, C. S.
 Peters, J. W. B.
 Koot, H. M., Grunau, R. E., de Boer, J., van Druenen, M. J., Tibboel, D., Duivenvoorden, H. J.: Neonatal Facial Coding System for Assessing Postoperative Pain in Infants: Item Reduction is Valid and Feasible, 353
 Pickering, G.
 Januel, F., Dubray, C., Eschaliér, A.: Serotonin and Experimental Pain in Healthy Young Volunteers, 276
 Poncela, M. *see* Marchal, J. M.
 Poobalan, A. S.
 Bruce, J.; Smith, W. Cairns S.; King, P. M.; Krukowski, Z. H.; Chambers, W. A.: A Review of Chronic Pain After Inguinal Herniorrhaphy, 48
 Prasad, S. S. *see* Dubey, P. K.

- Pulliam, C.
 Gatchel, R. J., Robinson, R. C.: Challenges to Early Prevention and Intervention: Personal Experiences With Adherence, 114
- Raja, S. N. *see* Grabow, T. S.
 Reyes-Gibby, C. C. *see* Cleeland, C. S.
 Riley, J. L., III. *see* Myers, C. D.
 Robinson, M. E. *see* Myers, C. D.
 Robinson, R. C. *see* Pulliam, C.
 Rollman, G. B.
 Introduction: Sex Makes a Difference: Experimental and Clinical Pain Responses, 204
 Rosenberg, J. M. *see* Cleeland, C. S.
 Rudy, T. E.
 Lieber, S. J.; Boston, J. R.; Gourley, L. M.; Baysal, E.: Psychosocial Predictors of Physical Performance in Disabled Individuals With Chronic Pain, 18
- Sadahiro, S. *see* Shibata, M.
 Sawynok, J. *see* Lynch, M. E.
 Schall, M. *see* Cleeland, C. S.
 Schnoll, S. H. *see* Wunsch, M. J.
 Shibata, M.
 Abe, K.; Jimbo, A.; Shimizu, T.; Mihara, M.; Sadahiro, S.; Yoshikawa, H.; Mashimo, T.: Complex Regional Pain Syndrome Type I Associated With Amyotrophic Lateral Sclerosis, 69
 Shimizu, T. *see* Shibata, M.
 Skei, S. *see* Nesheim, B.-I.
 Smith, W. Cairns S. *see* Poobalan, A. S.
 Solberg, S. *see* Nesheim, B.-I.
 Spierings, E. L. H.
 Pathogenesis of the Migraine Attack, 255
 Stanard, V. *see* Wunsch, M. J.
 Stanish, W. D. *see* Sullivan, M. J. L.
 Stojanovic, M. P.
 Zhou, Y., Hord, E. D., Vallejo, R., Cohen, S. P.: Single Needle Approach for Multiple Medial Branch Blocks: A New Technique, 134
 Sullivan, M. J. L.
 Introduction: Emerging Trends in Secondary Prevention of Back Pain Disability, 77
 Sullivan, M. J. L. *see* Devoulyte, K.
 Sullivan, M. J. L.
 Stanish, W. D.: Psychologically Based Occupational Rehabilitation: The Pain-Disability Prevention Program, 97
 Sun, W.-Z. *see* Hsu, H.-W.
- Tella, P. K. *see* Grabow, T. S.
- Tibboel, D. *see* Peters, J. W. B.
 Tollett, J. H. *see* Cleeland, C. S.
 Turk, D. C.
 Apologia, 203
 Turner, J. A. *see* Ersek, M.
 Turner, J. A. *see* Ehde, D. M.
- Vachon, B. *see* Loisel, P.
 Valenzuela, J. *see* Marchal, J. M.
 Vallejo, R. *see* Stojanovic, M. P.
 Valia, J. C. *see* De Andrés, J.
 van Druenen, M. J. *see* Peters, J. W. B.
 van Kleef, M. *see* Forouzanfar, T.
 van den Hout, J. H. C.
 Vlaeyen, J. W. S., Heuts, P. H. T. G., Zijlema, J. H. L., Wijnen, J. A. G.: Secondary Prevention of Work-Related Disability in Nonspecific Low Back Pain: Does Problem-Solving Therapy Help? A Randomized Clinical Trial, 87
 Vedder, H. *see* Zimmer, C.
 Vlaeyen, J. W. S. *see* van den Hout, J. H. C.
- Walsh, D. M. *see* Kerr, D. P.
 Walsh, T. M. *see* Finley, G. A.
 Wang, G. *see* Xie, H.
 Wang, X. *see* Xie, H.
 Wang, Y.-P. *see* Hsu, H.-W.
 Weber, W. E. J. *see* Forouzanfar, T.
 Wegener, S. *see* Haythornthwaite, J. A.
 Widerström-Noga, E.
 Chronic Pain and Nonpainful Sensations After Spinal Cord Injury: Is There a Relation?, 39
 Wijnen, J. A. G. *see* van den Hout, J. H. C.
 Witter, J. *see* Dionne, R. A.
 Wunsch, M. J.
 Stanard, V., Schnoll, S. H.: Treatment of Pain in Pregnancy, 148
- Xie, H.
 Wang, X., Liu, G., Wang, G.: Analgesic Effects and Pharmacokinetics of a Low Dose of Ketamine Preoperatively Administered Epidurally or Intravenously, 317
- Yong, H.-H. *see* Bradbeer, M.
 Yoshikawa, H. *see* Shibata, M.
- Zhou, Y. *see* Stojanovic, M. P.
 Zijlema, J. H. L. *see* van den Hout, J. H. C.
 Zimmer, C.
 Basler, H.-D., Vedder, H., Lautenbacher, S.: Sex Differences in Cortisol Response to Noxious Stress, 233

The Clinical Journal of Pain

Volume 19, 2003

Subject Index

- Abnormal sensations
 - Chronic pain and nonpainful sensations after spinal cord injury: is there a relation?, 39
- Absenteeism
 - Early identification of patients at risk of developing a persistent back problem: The predictive validity of the Örebro Musculoskeletal Pain Questionnaire, 80
- Acupuncture
 - Acupuncture during labor can reduce the use of meperidine: A controlled clinical study, 187
 - Acupuncture in the management of chronic low back pain: a blinded randomized controlled trial, 364
- Addiction
 - Treatment of pain in pregnancy, 148
- Adherence
 - Challenges to early prevention and intervention: Personal experiences with adherence, 114
- Affective disorder
 - Psychosocial contributions to sex-correlated differences in pain, 225
- Alleviation
 - Pain on injection of propofol: The effect of granisetron pretreatment, 121
- Amitriptyline
 - A pilot study examining topical amitriptyline, ketamine, and a combination of both in the treatment of neuropathic pain, 323
- Amyotrophic lateral sclerosis
 - Complex regional pain syndrome type I associated with amyotrophic lateral sclerosis, 69
- Analgesic drug development
 - NIH-FDA analgesic drug development workshop: Translating scientific advances into improved pain relief, 139
- Anesthetics
 - Pain on injection of propofol: The effect of granisetron pretreatment, 121
- Anxiety
 - Differential relationships between anxiety and treatment-associated pain reduction among male and female chronic pain patients, 208
- Arterial vasodilation
 - Pathogenesis of the migraine attack, 255
- Arthroscopy
 - Does the type of arthroscopic surgery modify the analgesic effect of intraarticular morphine and bupivacaine? A preliminary study, 240
- Assessment
 - Development of a Neuropathic Pain Questionnaire, 306
- Attitudes
 - Caregivers' beliefs regarding pain in children with cognitive impairment: relation between pain sensation and reaction increases with severity of impairment, 355
- Aura, migraine
 - Pathogenesis of the migraine attack, 255
- Back pain
 - Back pain and satisfaction with chiropractic treatment: What role does the physical outcome play?, 263
 - Challenges to early prevention and intervention: Personal experiences with adherence, 114
 - Early identification of patients at risk of developing a persistent back problem: The predictive validity of the Örebro Musculoskeletal Pain Questionnaire, 80
- Psychologically based occupational rehabilitation: The pain-disability prevention program, 97
- BDI
 - Pain catastrophizing and symptom severity during upper respiratory tract illness, 125
- Book reviews
 - Acute and Procedure Pain in Infants and Children. Progress in Pain Research and Management, Vol. 20, 73
 - Anesthesia and Neurosurgery, Fourth edition, 71
 - Handbook of Pain Assessment, 2nd edition, 72
- Botulinum toxin
 - Use of botulinum toxin in the treatment of chronic myofascial pain, 269
- Bupivacaine
 - Does the type of arthroscopic surgery modify the analgesic effect of intraarticular morphine and bupivacaine? A preliminary study, 240
- Caregivers
 - Caregivers' beliefs regarding pain in children with cognitive impairment: relation between pain sensation and reaction increases with severity of impairment, 355
- Central nervous system
 - Gonadal hormones and sex differences in pain reactivity, 168
- Cerebral palsy
 - Chronic pain secondary to disability: A review, 3
- Cesarean section
 - Differential analgesic effect of tenoxicam on the wound pain and uterine cramping pain after cesarean section, 55
- Chiropractic
 - Back pain and satisfaction with chiropractic treatment: What role does the physical outcome play?, 263
- Cholecystokinin
 - The cholecystokinin antagonist proglumide enhances the analgesic effect of dihydrocodeine, 200
- Chronic pain
 - Chronic pain and nonpainful sensations after spinal cord injury: is there a relation?, 39
 - Chronic pain secondary to disability: A review, 3
 - Differential relationships between anxiety and treatment-associated pain reduction among male and female chronic pain patients, 208
 - Efficacy of a self-management group intervention for elderly persons with chronic pain, 156
 - Psychosocial predictors of physical performance in disabled individuals with chronic pain, 18
 - A review of chronic pain after inguinal herniorrhaphy, 48
- Clinical analgesic trials
 - NIH-FDA analgesic drug development workshop: Translating scientific advances into improved pain relief, 139
- Clinical outcomes
 - Back pain and satisfaction with chiropractic treatment: What role does the physical outcome play?, 263
- Cognition
 - Psychosocial contributions to sex-correlated differences in pain, 225
- Cognitive impairment
 - Caregivers' beliefs regarding pain in children with cognitive impairment: relation between pain sensation and reaction increases with severity of impairment, 355
- Cold pressor test
 - Sex differences in cortisol response to noxious stress, 233

- Compensatory hyperhidrosis**
 Characteristics and associated features of persistent post-sympathectomy pain, 192
- Complex regional pain syndrome (CRPS)**
 Spinal cord stimulation () for complex regional pain syndrome (CRPS): an evidence-based medicine review of the literature, 371
- Complex regional pain syndrome (CRPS), type 1**
 Complex regional pain syndrome type I associated with amyotrophic lateral sclerosis, 69
 What is a meaningful pain reduction in patients with complex regional pain syndrome type 1, 281
- Complications**
 Pain on injection of propofol: The effect of granisetron pretreatment, 121
- Concept of disease**
 Back pain and satisfaction with chiropractic treatment: What role does the physical outcome play?, 263
- Cortical spreading depression**
 Pathogenesis of the migraine attack, 255
- Cortisol**
 Sex differences in cortisol response to noxious stress, 233
- Descriptors**
 Development of a Neuropathic Pain Questionnaire, 306
- Diagnostic block**
 Single needle approach for multiple medial branch blocks: A new technique, 134
- Dihydrocodeine**
 The cholecystokinin antagonist proglumide enhances the analgesic effect of dihydrocodeine, 200
- Dosing**
 Clinical application of opioid equianalgesic data, 286
- Dysesthesia**
 Chronic pain and nonpainful sensations after spinal cord injury: is there a relation?, 39
- Early identification**
 Early identification of patients at risk of developing a persistent back problem: The predictive validity of the Örebro Musculoskeletal Pain Questionnaire, 80
- Early intervention**
 Challenges to early prevention and intervention: Personal experiences with adherence, 114
- Elderly**
 Efficacy of a self-management group intervention for elderly persons with chronic pain, 156
 Widowhood and other demographic associations of pain in independent older people, 247
- Elimination half-life**
 Analgesic effects and pharmacokinetics of a low dose of ketamine preoperatively administered epidurally or intravenously, 317
- Epidural**
 Analgesic effects and pharmacokinetics of a low dose of ketamine preoperatively administered epidurally or intravenously, 317
- Equianalgesia**
 Clinical application of opioid equianalgesic data, 286
- Equianalgesic ratios**
 Clinical application of opioid equianalgesic data, 286
- Evidence-based medicine (EBM)**
 Spinal cord stimulation () for complex regional pain syndrome (CRPS): an evidence-based medicine review of the literature, 371
- Evidence-based programs**
 From evidence to community practice in work rehabilitation: The Quebec experience, 105
- Facet joint**
 Single needle approach for multiple medial branch blocks: A new technique, 134
- Facial action**
 Neonatal facial coding system for assessing postoperative pain in infants: item reduction is valid and feasible, 353
- Factor analysis**
 Questionnaire validation: a brief guide for readers of the research literature, 345
- Gender differences**
 Differential relationships between anxiety and treatment-associated pain reduction among male and female chronic pain patients, 208
 Psychosocial contributions to sex-correlated differences in pain, 225
 Sex differences in opioid analgesia: "from mouse to man," 175
 Spousal responses are differentially associated with clinical variables in women and men with chronic pain, 217
- Global Perceived Effect**
 What is a meaningful pain reduction in patients with complex regional pain syndrome type 1, 281
- Gonadal hormones**
 Gonadal hormones and sex differences in pain reactivity, 168
- Granisetron**
 Pain on injection of propofol: The effect of granisetron pretreatment, 121
- Gustatory sweating**
 Characteristics and associated features of persistent post-sympathectomy pain, 192
- Hernia repair**
 A review of chronic pain after inguinal herniorrhaphy, 48
- Immobilization**
 Complex regional pain syndrome type I associated with amyotrophic lateral sclerosis, 69
- Infant**
 Neonatal facial coding system for assessing postoperative pain in infants: item reduction is valid and feasible, 353
- Inguinal herniorrhaphy**
 A review of chronic pain after inguinal herniorrhaphy, 48
- Interdisciplinary approach**
 From evidence to community practice in work rehabilitation: The Quebec experience, 105
- Interorganizational approach**
 From evidence to community practice in work rehabilitation: The Quebec experience, 105
- Intraarticular approach**
 Does the type of arthroscopic surgery modify the analgesic effect of intraarticular morphine and bupivacaine? A preliminary study, 240
- Intravenous**
 Pain on injection of propofol: The effect of granisetron pretreatment, 121
- Ketamine**
 Analgesic effects and pharmacokinetics of a low dose of ketamine preoperatively administered epidurally or intravenously, 317
 A pilot study examining topical amitriptyline, ketamine, and a combination of both in the treatment of neuropathic pain, 323
- Knee surgery**
 Does the type of arthroscopic surgery modify the analgesic effect of intraarticular morphine and bupivacaine? A preliminary study, 240
- Labor analgesia**
 Acupuncture during labor can reduce the use of meperidine: A controlled clinical study, 187
- Living alone**
 Widowhood and other demographic associations of pain in independent older people, 247

- Low back pain
 Acupuncture in the management of chronic low back pain: a blinded randomized controlled trial, 364
 Back pain and satisfaction with chiropractic treatment: What role does the physical outcome play?, 263
 Secondary prevention of work-related disability in nonspecific low back pain: Does problem-solving therapy help? A randomized clinical trial, 87
- Lower limb amputation
 Psychosocial predictors of physical performance in disabled individuals with chronic pain, 18
- Lumbar zygapophyseal joint
 Single needle approach for multiple medial branch blocks: A new technique, 134
- Maximum plasma concentration
 Analgesic effects and pharmacokinetics of a low dose of ketamine preoperatively administered epidurally or intravenously, 317
- Measurement scales
 Construct validity of the Parents' Postoperative Pain Measure, 329
- Medial branch
 Single needle approach for multiple medial branch blocks: A new technique, 134
- Migraine headache
 Pathogenesis of the migraine attack, 255
- Mood
 Widowhood and other demographic associations of pain in independent older people, 247
- Morphine
 Differential analgesic effect of tenoxicam on the wound pain and uterine cramping pain after cesarean section, 55
 Does the type of arthroscopic surgery modify the analgesic effect of intraarticular morphine and bupivacaine? A preliminary study, 240
 Sex differences in opioid analgesia: "from mouse to man," 175
- Multiple sclerosis
 Chronic pain secondary to disability: A review, 3
- Myofascial pain syndrome
 Use of botulinum toxin in the treatment of chronic myofascial pain, 269
- Negative affectivity
 Pain catastrophizing and symptom severity during upper respiratory tract illness, 125
- Neurogenic inflammation
 Pathogenesis of the migraine attack, 255
- Neuromuscular disease
 Chronic pain secondary to disability: A review, 3
- Neuropathic pain
 Characteristics and associated features of persistent post-sympathectomy pain, 192
 Development of a Neuropathic Pain Questionnaire, 306
 A pilot study examining topical amitriptyline, ketamine, and a combination of both in the treatment of neuropathic pain, 323
 The rationale and use of topiramate for treating neuropathic pain, 59
- Opioid dose conversion
 Clinical application of opioid equianalgesic data, 286
- Opioids
 Clinical application of opioid equianalgesic data, 286
 Factors associated with willingness to try different pain treatments for pain after a spinal cord injury, 31
 Treatment of pain in pregnancy, 148
- Outcomes
 Rapid improvement in pain management: The Veterans Health Administration and the Institute for Healthcare Improvement collaborative, 298
- Pain
 Gonadal hormones and sex differences in pain reactivity, 168
 NIH-FDA analgesic drug development workshop: Translating scientific advances into improved pain relief, 139
 Psychosocial contributions to sex-correlated differences in pain, 225
 Rapid improvement in pain management: The Veterans Health Administration and the Institute for Healthcare Improvement collaborative, 298
 Serotonin and experimental pain in healthy young volunteers, 276
 Sex differences in cortisol response to noxious stress, 233
 Sex differences in opioid analgesia: "from mouse to man," 175
- Pain assessment
 Questionnaire validation: a brief guide for readers of the research literature, 345
- Pain catastrophizing
 Pain catastrophizing and symptom severity during upper respiratory tract illness, 125
- Pain interference
 Chronic pain and nonpainful sensations after spinal cord injury: is there a relation?, 39
- Pain management
 Rapid improvement in pain management: The Veterans Health Administration and the Institute for Healthcare Improvement collaborative, 298
- Pain measurement
 Construct validity of the Parents' Postoperative Pain Measure, 329
 Neonatal facial coding system for assessing postoperative pain in infants: item reduction is valid and feasible, 353
- Pain-related disability
 Psychologically based occupational rehabilitation: The pain-disability prevention program, 97
 Spousal responses are differentially associated with clinical variables in women and men with chronic pain, 217
- Pain severity
 Widowhood and other demographic associations of pain in independent older people, 247
- Pain tolerance
 Spousal responses are differentially associated with clinical variables in women and men with chronic pain, 217
- Pain treatment
 Factors associated with willingness to try different pain treatments for pain after a spinal cord injury, 31
- Parallel concept
 Pathogenesis of the migraine attack, 255
- Parents' measure
 Construct validity of the Parents' Postoperative Pain Measure, 329
- PASS
 Differential relationships between anxiety and treatment-associated pain reduction among male and female chronic pain patients, 208
- Pathogenesis
 Pathogenesis of the migraine attack, 255
- Patient-controlled analgesia
 Differential analgesic effect of tenoxicam on the wound pain and uterine cramping pain after cesarean section, 55
- Pediatric pain
 Caregivers' beliefs regarding pain in children with cognitive impairment: relation between pain sensation and reaction increases with severity of impairment, 355
 Construct validity of the Parents' Postoperative Pain Measure, 329
- Phantom limb pain
 Chronic pain secondary to disability: A review, 3
- Physical performance
 Psychosocial predictors of physical performance in disabled individuals with chronic pain, 18
- Placebo-TENS
 Acupuncture in the management of chronic low back pain: a blinded randomized controlled trial, 364

- Plunge test
 - Sex differences in cortisol response to noxious stress, 233
- Postoperative pain
 - Construct validity of the Parents' Postoperative Pain Measure, 329
 - Does the type of arthroscopic surgery modify the analgesic effect of intraarticular morphine and bupivacaine? A preliminary study, 240
 - Neonatal facial coding system for assessing postoperative pain in infants: item reduction is valid and feasible, 353
- Postpolio syndrome
 - Chronic pain secondary to disability: A review, 3
- Practice
 - Rapid improvement in pain management: The Veterans Health Administration and the Institute for Healthcare Improvement collaborative, 298
- Prediction
 - Early identification of patients at risk of developing a persistent back problem: The predictive validity of the Örebro Musculoskeletal Pain Questionnaire, 80
- Preemptive analgesia
 - Analgesic effects and pharmacokinetics of a low dose of ketamine preoperatively administered epidurally or intravenously, 317
- Pregnancy
 - Treatment of pain in pregnancy, 148
- Problem solving
 - Secondary prevention of work-related disability in nonspecific low back pain: Does problem-solving therapy help? A randomized clinical trial, 87
- Proglumide
 - The cholecystokinin antagonist proglumide enhances the analgesic effect of dihydrocodeine, 200
- Propofol
 - Pain on injection of propofol: The effect of granisetron pretreatment, 121
- Psychological treatment
 - Factors associated with willingness to try different pain treatments for pain after a spinal cord injury, 31
- Psychosocial factors
 - Psychosocial predictors of physical performance in disabled individuals with chronic pain, 18
- Questionnaire
 - Early identification of patients at risk of developing a persistent back problem: The predictive validity of the Örebro Musculoskeletal Pain Questionnaire, 80
- Randomized trial
 - Efficacy of a self-management group intervention for elderly persons with chronic pain, 156
 - Secondary prevention of work-related disability in nonspecific low back pain: Does problem-solving therapy help? A randomized clinical trial, 87
- Reflex sympathetic dystrophy
 - Complex regional pain syndrome type I associated with amyotrophic lateral sclerosis, 69
 - Spinal cord stimulation for complex regional pain syndrome (CRPS): an evidence-based medicine review of the literature, 371
- Relative pain reduction
 - What is a meaningful pain reduction in patients with complex regional pain syndrome type I, 281
- Reliability
 - Questionnaire validation: a brief guide for readers of the research literature, 345
- Residual limb pain
 - Chronic pain secondary to disability: A review, 3
- Return to work
 - From evidence to community practice in work rehabilitation: The Quebec experience, 105
- Screening
 - Early identification of patients at risk of developing a persistent back problem: The predictive validity of the Örebro Musculoskeletal Pain Questionnaire, 80
- Secondary prevention
 - Challenges to early prevention and intervention: Personal experiences with adherence, 114
 - Psychologically based occupational rehabilitation: The pain-disability prevention program, 97
 - Secondary prevention of work-related disability in nonspecific low back pain: Does problem-solving therapy help? A randomized clinical trial, 87
- Self-management
 - Efficacy of a self-management group intervention for elderly persons with chronic pain, 156
- Sequential concept
 - Pathogenesis of the migraine attack, 255
- Serotonin
 - Serotonin and experimental pain in healthy young volunteers, 276
- Sex
 - Differential relationships between anxiety and treatment-associated pain reduction among male and female chronic pain patients, 208
- Sex differences
 - Psychosocial contributions to sex-correlated differences in pain, 225
 - Sex differences in cortisol response to noxious stress, 233
 - Spousal responses are differentially associated with clinical variables in women and men with chronic pain, 217
- Spinal cord injury
 - Chronic pain and nonpainful sensations after spinal cord injury: is there a relation?, 39
 - Chronic pain secondary to disability: A review, 3
 - Factors associated with willingness to try different pain treatments for pain after a spinal cord injury, 31
 - Psychosocial predictors of physical performance in disabled individuals with chronic pain, 18
- Spinal cord stimulation (SCS)
 - Spinal cord stimulation () for complex regional pain syndrome (CRPS): an evidence-based medicine review of the literature, 371
- Spousal responses
 - Spousal responses are differentially associated with clinical variables in women and men with chronic pain, 217
- Surgical sympathectomy
 - Characteristics and associated features of persistent post-sympathectomy pain, 192
- Sympathetically maintained pain
 - Characteristics and associated features of persistent post-sympathectomy pain, 192
- Tenoxicam
 - Differential analgesic effect of tenoxicam on the wound pain and uterine cramping pain after cesarean section, 55
- Topical treatment
 - A pilot study examining topical amitriptyline, ketamine, and a combination of both in the treatment of neuropathic pain, 323
- Topiramate
 - The rationale and use of topiramate for treating neuropathic pain, 59
- Treatment barriers
 - Factors associated with willingness to try different pain treatments for pain after a spinal cord injury, 31
- Tricyclic antidepressants
 - A pilot study examining topical amitriptyline, ketamine, and a combination of both in the treatment of neuropathic pain, 323
- Upper respiratory tract illness
 - Pain catastrophizing and symptom severity during upper respiratory tract illness, 125

Validity

Questionnaire validation: a brief guide for readers of the research literature, 345

Visual analog scale

What is a meaningful pain reduction in patients with complex regional pain syndrome type 1, 281

Widowhood

Widowhood and other demographic associations of pain in independent older people, 247

Women

Sex differences in opioid analgesia: "from mouse to man," 175

Work disability

Secondary prevention of work-related disability in nonspecific low back pain: Does problem-solving therapy help? A randomized clinical trial, 87

